



"FOR A PERFECT FINISH, EVERY TIME"

PRODUCT BROCHURE

VOLUME 1

www.lev-tec.com.au

LEVTEC SYSTEMS

Beginnings... a brief summary of the company.

Levtec Systems was formed by Myself and Chrystal in the coastal town of Newcastle NSW in 2011.

The first goal was designing the Levtec Tile Levelling System. Once that goal was achieved and feedback and sales surpassed all expectations we then decided to further our range to include products for the construction and home renovation sector mainly specializing in tiling products.

We are a family owned and operated company and with 20 years experience in the Tile industry I feel we have so much to offer to the industry. I know methods vary and we are always learning and finding ways to improve our work and make our daily tile a lot easier and more profitable.

Our Company is growing and this is due to our solid work ethic, desire to deliver quality products and friendly service.

Michael Gorton.



LEVTEC LIPPAGE SYSTEM

LEVTEC Tile Levelling System is an exciting new wedge driven product developed for laying wall and floor tiles.

During our research and development phase key factors in the design were bringing to the market a superior product that would create accurate surfaces efficiently while being cost effective, user friendly and doing away with expensive clamping tools.



The forefront of the LEVTEC design was expansion between the products being laid. LEVTEC Tile Levelling System when used leaves all joints completely free. When the wedge and clip are removed at the final stages of the process the breakpoint is located below the surface of the tiles being levelled, leaving the joints completely free for grouting or expansion as to Australian standards.

Features of the LEVTEC clip are:

- The base plate has a bevelled edge for easy placement between the tile and substrate. This bevel also collects adhesive in the adhesive grooves to maximize bond.
- The top of the clip has side lugs that are in place to disperse force for easy removal of the products.
- The clip is made from a durable material that during the installation process virtually eliminates accidental breakages.

LEVTEC Tile Levelling system was designed by a company with years of industry knowledge, and through rigorous research and testing has developed the best system on the market.

- *Easily Creates flawless finish*
- *Eliminates lippage*
- *Speeds up the installation process*
- *Locks in tiles preventing slumping while the adhesive dries*
- *Easy to remove*
- *Suitable for both professional and home renovators*
- *Levtec Clips 250pcs LEVC250*
- *Levtec Clips 500pcs LEVC500*
- *Levtec Wedges 250pcs LEVW250*





TILE LEVELING SYSTEM

LEV TEC Tile levelling System is designed to create flawless tiling project effeciently every time.

LEV TEC allows you to set floor and wall tiles in a way that will hold the tiles unique without lippage until the adheasive dries. This process is extremely accurate and efficient at achieving a faultless surface.

For more information go to www.lev-tec.com.au

ADVANTAGES

- Easily create a flawless finish
- Eliminated lippage
- Speeds up the installation process
- Locks in tiles preventing slump while drying
- Easy to remove
- Suitable for both professional tilers and home renovators

REQUIREMENT CHART

TILE SIZE	REQUIRED PER METRE
300mm x 300mm	= 44 clips and wedges
400mm x 400mm	= 25 clips and wedges
500mm x 500mm	= 16 clips and wedges
600mm x 600mm	= 11 clips and wedges

*clips and wedges are available in bags of 250.



*Proudly
Australian
Owned*

HOW TO USE


STEP 1 - SETTING THE CLIPS



Spread your tile adhesive and lay the tile. Place LEV TEC clips underneath the tile slightly back from the edge.

Keep the LEV TEC clip firmly against the tile as the clip acts as a 1.5mm spacer.


STEP 2 - TILE PLACEMENT



Set the adjacent tile firmly into the adhesive. Butt the tile against the LEV TEC clip giving the 1.5mm joint (if a larger joint is required spacers can be used, or set the required joint size).

Slide the LEV TEC wedges through the LEV TEC clips until they are firmly levelling both tiles.

STEP 3 - INSERT THE WEDGE



Using your thumb push the LEV TEC wedge with the right amount of pressure required to create the perfect finish.

Once the tiles are locked in position this is how they will stay until the adhesive sets. You can still slightly adjust the joint width while the adhesive is setting without disrupting the height of the tiles.

STEP 4 - REMOVE CLIPS



After the adhesive has set, you can remove the LEV TEC wedges and clips easily with a rubber mallet on the walls and by mallet or your foot on the floor.

Hit the LEV TEC clips on its side lug in the direction of the tile joint and the wedge and clip will dislodge from the tile at the breakpoint below the tile, leaving the joint free for grouting or silicone expansion.

LEVTEC TRACTION PLIERS

Levtec Traction Pliers are designed to be used with the Levtec Tile Lippage System.

The Levtec Tile Lippage System was designed to be used without any tools and simplifying the process of eliminating lippage between tiled surfaces.


We have introduced our line of traction pliers in both Metal and Plastic. Both pliers are adjustable to stop any over tensioning on the Levtec Clips.

The Metal Plier is the stronger of the two, easily helping force the wedge to bring the tiles to a lip free finish.

The Carbide Nylon Plastic Plier is a very light weight option and has some flex so the installer can feel exactly how much tension they are applying to the clip and wedge.

The Levtec Traction Pliers are a very useful tool and made of great quality that you come to expect from Levtec Systems.

- *Trade Quality*
- *Help in the process of eliminating lippage*
- *2 styles Metal/Carbide Nylon plastic*
- *Built to last*
- *Plastic Traction Plier LEVTPL*
- *Metal Traction Plier LEVTP*



LEVTEC NOTCHED TROWELS

Levtec Notched Trowels are designed to last.

Made with a class leading 1mm thick polished steel blade to eliminate warping and notch wear when the trowels are used on harsh substrates such as cement screeds and concrete floors. This is also great for when tiles are being lifted for coverage you know there will be NO damage to a Levtec trowel.

Black coated footer to minimize adhesive build up makes this part of the trowel easier to clean in those areas than other trowels on the market.

Trowels have to be comfortable and the Levtec Notch Trowel with its ergonomic formed handle is especially easy on your hand.

- *Trade Quality*
- *Durable 1mm polished steel blade*
- *Ergonomic handle*
- *Built to last*

Sizes

- 8MM *LEVNT8*
- 10MM *LEVNT10*
- 12MM *LEVNT12*
- 14MM *LEVNT14*



LEVTEC WASTE PLUGS

The issue of blocked floor wastes during construction is a very serious concern and the tile installer is usually in the line of blame even if it is not their fault.

The levtec waste plug will block the floor waste while the tiler screeds the floor area worry free from cement accidentally falling down the floor waste during this process. The Levtec waste Plug also acts as a template for leaving out an area so the insertion of floor wastes can be carried out easily with no further removal of cement needed at the tile install stage further limiting any debris entering the floor waste.

The lip of the waste plug is 30mm high simply screed up to it or it can easily be cut down to create a customized bed height that the installer can float directly off it creating the desired bed height every time.

Once removed the Levtec Waste Plug leaves a square void large enough to accept all types of floor wastes including the ever so popular tile insert/smart wastes. The Levtec waste plug is also great for applications when the waterproofing is installed over the top of the bed as it leaves a void for the membrane to lap down from the bed to the substrate or leak control flange below.

- *No more costly floor waste blockages*
- *Eliminate tiler's mortar/screed down floor wastes*
- *Size and depth of Waste Plug to suit smart waste/tile insert waste.*
- *130mm wide x 30mm deep ,easily cut down for custom screed depth*
- *Reusable product*
- *Simply put the Levtec Waste Plug into the floor waste. Screed up to and around it worry free, then remove the Levtec Waste Plug for the perfect space left to waterproof to the substrate or room to insert all types of floor wastes.*



LEVTEC TILE SPACERS

Levtec Systems offer a simple range of tile spacers that consist of 3 styles. A 1.5mm cross type spacer for wall and floor tiling, 3mm cross type spacer for wall and floor tiling and a small wedge spacer to assist in spacing for wall tiling applications.

- *LEVTEC Cross spacer (1.5mm) 500pcs*
LEVCR15500
- *LEVTEC Cross Spacer (3MM) 500pcs*
LEVCR3500
- *LEVTEC Wedge Spacer 500pcs*
LEVW500



LEVTEC TILERS SPONGE

Trade Quality Sponge.

A often over looked process of tiling that can either make or break a job is the grouting of the project. With so many high quality large format tiles on the market all tools need to be offered to complete the job well .

Here at Levtec we put many types of sponge to the test during the R&D to find the perfect option for the tradesman. Our Levtec tilers sponge is very durable yet still pitted enough to release excess material. The Levtec Sponge has a very soft feel yet still durable enough to not break down and leave marks in the grout during the ageing process of the sponge.

- *Trade Quality Sponge*
- *Pitted for release of materials*
- *Soft yet strong enough to last*
- *Size 300mm x 200mm x 35mm*
- *LEVSP01*



LEVTEC TILE ANGLE

Levtec 10mm Brushed and Polished angle

The Levtec Tile angles are Designed to provide protection on a tile edge for Wear and or chipping.

Levtec tile angles come in two styles of a Polished Aluminium and a Brushed Aluminium.

The Polished is a bright silver that is very hard wearing and also attractive to look at rather than a typical mill finish Aluminium.

The Brushed is a More softened effect than polished and is quite effective in wall applications to reduce the effect of the angle standing out against the tile it is used with.

- *Trade Quality*
- *3m lengths*
- *10mm high*
- *2 Finishes*
- *Polished Aluminium LEVANG10P*
- *Brushed Aluminium LEVANG10B*





*Proudly
Australian
Owned*

www.lev-tec.com.au